



Engineered to meet the needs of commercial and high capacity residential environments; the 210 is the optimal choice for small offices and residential applications.

Producing purified water at up to 180 gallons per day, a pace that allows for high traffic applications when paired with its 2 gallon reservoir tank. The system operates seamlessly without the necessity of a mechanical or electrical RO pressure pump; producing seamless RO purified water without any extra components that would increase the failure rate and lower the overall reliability of service.

SPECIFICATIONS & FEATURES

12" W x 5" L x 17" H
Weight: 12 lbs
Flow Rate: o. 75 Gallons Per Minute (w/ Tank)
Leak Detector
Ambient Water

Available in:

- Reverse Osmosis Purification w/alkaline
- Reverse Osmosis Purification

4-Stage Reverse Osmosis

Stage 1: Sediment (5 micron)
Stage 2: Pre-Carbon (1 micron)
Stage 3: Reverse Osmosis 100 GPD Membrane (0.01 micron)
Stage 4: Post Carbon Filter (0.5 micron)

4-Stage Reverse Osmosis w/Alkaline:

Stage 1: Sediment Filter (5 micron)
Stage 2: Activated Carbon Filter (1 micron)
Stage 3: Reverse Osmosis 100 GPD (0.01 micron)
Stage 4: Post Alkaline Carbon Filter (0.5 micron)

Sediment Filter

Removes particulate matter before reaching additional filters. Does not remove chemicals or heavy metals.

Pre-Carbon (GAC) Filter

Removes sediment and compounds that reduce second or third-stage filter life.

Post Carbon / Block Carbon

Removes chlorine and organic chemicals that contribute to bad taste and odor.

Post Carbon / Block Carbon

Removes chlorine and organic chemicals that contribute to bad taste and odor.

Alkaline Filter

Add to a reverse osmosis or UF system to increase pH, mineral content and reduce Oxidant Reduction Potential (ORP).

AVAILABLE IN:



white/blue